

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: KABUSHIKI KAISHA HAYASHIBARA SEIBUTSU KAGAKU
KENKYUJO
- (ii) TITLE OF INVENTION: POLYPEPTIDE HAVING β -FRUCTOFURANOSIDASE
ACTIVITY
- (iii) NUMBER OF SEQUENCES: 6
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: BROWDY AND NEIMARK
 - (B) STREET: 419 Seventh Street, N.W., Suite 300
 - (C) CITY: Washington
 - (D) STATE: D.C.
 - (E) COUNTRY: USA
 - (F) ZIP: 20004
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: 08/870,827
 - (B) FILING DATE: 06-JUN-1997
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: JP 170,630/1996
 - (B) FILING DATE: 10-JUN-1996
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: BROWDY, Roger L.
 - (B) REGISTRATION NUMBER: 25,618
 - (C) REFERENCE/DOCKET NUMBER: TSUSAKI=2
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 202-628-5197
 - (B) TELEFAX: 202-737-3528

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (iii) Fragment type: N-terminal fragment
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

Met Asn Ser Gly Asp Tyr Lys Glu Asp Tyr Gly Phe Ala His Ile Thr
 1 5 10 15
 Arg Ala Asp Met Leu
 20

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear

T00011 28998660

(iii) Fragment type: internal fragment

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Ser Val Phe Asp Gly Gly Asp Gly Thr Val Tyr Gln
1 5 10

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 455 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

Met Asn Ser Gly Asp Tyr Lys Glu Asp Tyr Gly Phe Ala His Ile Thr
1 5 10 15
Arg Ala Asp Met Leu Lys Ile Pro Gly Gln Gln Asn Ser Pro Gln Phe
20 25 30
Lys Val Pro Gln Phe Asn Ala Ser Ala Ile Lys Asn Ile Asp Ser Ala
35 40 45
Lys Gly Tyr Asp Lys Ser Gly Asn Leu Ile Asp Leu Asp Val Trp Asp
50 55 60
Ser Trp Pro Leu Gln Asn Ala Asp Gly Thr Ala Ala Asn Tyr His Gly
65 70 75 80
Tyr His Ile Val Ser Ala Leu Ala Gly Asp Pro Lys Asn Ser Asp Asp
85 90 95
Thr Pro Leu His Leu Phe Tyr Gln Lys Val Gly Asp Thr Ser Ile Asp
100 105 110
Ser Trp Lys Asn Ala Gly Arg Val Phe Glu Asp Met Asp Lys Phe Val
115 120 125
Pro Asn Asp Pro Tyr Leu Lys Tyr Gln Thr Gln Glu Trp Ser Gly Ser
130 135 140
Ala Thr Leu Thr Lys Asp Gly Gln Val Arg Leu Phe Tyr Thr Asp Tyr
145 150 155 160
Ser Gly Asn Pro Glu Asp Gly Gly Thr Gly Ala Gly Asn Gln Ile Ile
165 170 175
Ser Thr Ala Gln Val Asn Leu Ser Gln Pro Asp Ala Ala Thr Leu Lys
180 185 190
Val Asp Gly Val Ser Asp His Lys Ser Val Phe Asp Gly Gly Asp Gly
195 200 205
Thr Val Tyr Gln Asn Ile Gln Gln Phe Ile Asp Glu Gly Lys Trp Ile
210 215 220
Ser Gly Asp Asn His Thr Leu Arg Asp Pro His Tyr Val Glu Asp Lys
225 230 235 240
Gly His Lys Tyr Leu Val Phe Glu Ala Asn Thr Gly Thr Thr Asp Gly
245 250 255
Tyr Gln Gly Asp Gln Ser Phe Asn Asn Lys Ala Tyr Tyr Gly Gly Ser
260 265 270
Asp Val Phe Phe Gln Asn Glu Lys Asn Lys Leu Leu Gln Ser Pro Lys
275 280 285
Lys Gln Ile Ala Ser Leu Ala Asn Gly Ala Leu Gly Ile Val Glu Leu
290 295 300
Ala Asp Asp Tyr Thr Val Lys Ser Val Met Lys Pro Leu Val Ala Ser
305 310 315 320
Asn Thr Val Ala Asp Glu Val Glu Arg Ala Asn Ile Phe Lys Met Asn
325 330 335
Asn Lys Trp Tyr Leu Phe Thr Asp Ser Arg Gly Ser Lys Met Thr Ser
340 345 350
Asp Gly Ile Asn Asp Lys Asp Val Tyr Met Leu Gly Pro Gly Gly Asp
355 360 365
Ser Leu Asn Gly Pro His Asn Pro Ile Asn Glu Thr Gly Leu Val Leu
370 375 380

Asn Met Asn Leu Asp Pro Ala Asp Leu Thr His Thr Tyr Ser His Cys
 385 390 395 400
 Gly Ile Pro His Pro Glu Gly Asn Asn Val Val Leu Thr Ser Tyr Met
 405 410 415
 Thr Asn Arg Gly Phe Tyr Pro Glu His His Ser His Leu Arg Asp Lys
 420 425 430
 Leu Gly Val Asn Ile Lys Gly Ser Asp Thr Ser Gly Gly Glu Asn Ser
 435 440 445
 Ser Gly Gln Gly Gln Phe Pro
 450 455

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1365 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

ATG AAC AGC GGG GAC TAC AAG GAA GAC TAT GGT TTT GCC CAT ATT ACA	48
Met Asn Ser Gly Asp Tyr Lys Glu Asp Tyr Gly Phe Ala His Ile Thr	
1 5 10 15	
CGC GCT GAC ATG CTA AAA ATT CCA GGA CAA CAA AAC AGT CCT CAA TTT	96
Arg Ala Asp Met Leu Lys Ile Pro Gly Gln Gln Asn Ser Pro Gln Phe	
20 25 30	
AAA GTG CCT CAA TTC AAT GCA TCA GCA ATC AAA AAC ATT GAT TCG GCA	144
Lys Val Pro Gln Phe Asn Ala Ser Ala Ile Lys Asn Ile Asp Ser Ala	
35 40 45	
AAA GGG TAT GAT AAG TCA GGC AAC TTA ATA GAT TTA GAT GTA TGG GAT	192
Lys Gly Tyr Asp Lys Ser Gly Asn Leu Ile Asp Leu Asp Val Trp Asp	
50 55 60	
AGC TGG CCA CTG CAA AAC GCT GAT GGT ACT GCG GCA AAT TAT CAT GGA	240
Ser Trp Pro Leu Gln Asn Ala Asp Gly Thr Ala Ala Asn Tyr His Gly	
65 70 75 80	
TAT CAC ATC GTC TCC GCT TTA GCA GGT GAC CCA AAA AAC AGT GAT GAT	288
Tyr His Ile Val Ser Ala Leu Ala Gly Asp Pro Lys Asn Ser Asp Asp	
85 90 95	
ACT CCA CTT CAT TTA TTC TAT CAA AAA GTC GGT GAT ACA TCG ATT GAC	336
Thr Pro Leu His Leu Phe Tyr Gln Lys Val Gly Asp Thr Ser Ile Asp	
100 105 110 115	
AGC TGG AAA AAT GCT GGA AGA GTA TTT GAA GAT ATG GAT AAA TTT GTT	384
Ser Trp Lys Asn Ala Gly Arg Val Phe Glu Asp Met Asp Lys Phe Val	
120 125 130	
CCA AAT GAT CCG TAT CTT AAA TAT CAA ACA CAG GAG TGG TCA GGT TCT	432
Pro Asn Asp Pro Tyr Leu Lys Tyr Gln Thr Gln Glu Trp Ser Gly Ser	
135 140 145	
GCT ACT TTA ACC AAA GAT GGC CAA GTC CGT TTA TTC TAT ACA GAT TAC	480
Ala Thr Leu Thr Lys Asp Gly Gln Val Arg Leu Phe Tyr Thr Asp Tyr	
150 155 160	
TCA GGT AAT CCT GAA GAT GGT GGA ACC GGT GCT GGT AAC CAA ATC ATT	528
Ser Gly Asn Pro Glu Asp Gly Gly Thr Gly Ala Gly Asn Gln Ile Ile	
165 170 175	

TCA Ser 180	ACT Thr	GCT Ala	CAA Gln	GTA Val	AAC Asn 185	TTA Leu	TCC Ser	CAG Gln	CCG Pro	GAT Asp 190	GCA Ala	GCT Ala	ACA Thr	CTT Leu	AAA Lys 195	576
GTC Val	GAT Asp	GGA Gly	GTA Val	TCT Ser 200	GAT Asp	CAT His	AAA Lys	TCT Ser	GTC Val 205	TTT Phe	GAT Asp	GGC Gly	GGA Gly	GAC Asp 210	GGT Gly	624
ACA Thr	GTT Val	TAT Tyr	CAA Gln 215	AAT Asn	ATT Ile	CAG Gln	CAA Gln	TTT Phe 220	ATC Ile	GAT Asp	GAA Glu	GGC Gly	AAG Lys 225	TGG Trp	ATT Ile	672
TCA Ser	GGT Gly	GAT Asp 230	AAC Asn	CAT His	ACT Thr	TTA Leu	AGA Arg 235	GAC Asp	CCT Pro	CAC His	TAT Tyr	GTT Val 240	GAA Glu	GAT Asp	AAG Lys	720
GGC Gly	CAT His 245	AAA Lys	TAT Tyr	CTT Leu	GTC Val	TTT Phe 250	GAA Glu	GCG Ala	AAT Asn	ACT Thr	GGA Gly 255	ACA Thr	ACA Thr	GAT Asp	GGT Gly	768
TAT Tyr 260	CAA Gln	GGC Gly	GAT Asp	CAG Gln 265	TCT Ser	TTC Phe	AAT Asn	AAT Asn	AAA Lys	GCT Ala 270	TAC Tyr	TAT Tyr	GGC Gly	GGA Gly	AGT Ser 275	816
GAC Asp	GTC Val	TTC Phe	TTC Phe	CAG Gln 280	AAT Asn	GAA Glu	AAA Lys	AAT Asn	AAA Lys 285	CTG Leu	CTT Leu	CAA Gln	AGT Ser	CCT Pro 290	AAA Lys	864
AAA Lys	CAA Gln	ATT Ile	GCT Ala 295	TCT Ser	TTA Leu	GCG Ala	AAT Asn	GGT Gly 300	GCA Ala	TTA Leu	GGC Gly	ATT Ile	GTT Val 305	GAA Glu	TTG Leu	912
GCC Ala	GAT Asp 310	GAC Asp	TAT Tyr	ACA Thr	GTG Val	AAA Lys	AGT Ser 315	GTT Val	ATG Met	AAA Lys	CCA Pro	TTA Leu 320	GTC Val	GCA Ala	TCA Ser	960
AAC Asn 325	ACA Thr	GTA Val	GCA Ala	GAT Asp	GAA Glu	GTC Val 330	GAA Glu	CGC Arg	GCC Ala	AAT Asn	ATA Ile 335	TTT Phe	AAA Lys	ATG Met	AAT Asn	1008
AAT Asn 340	AAA Lys	TGG Trp	TAT Tyr	CTA Leu	TTC Phe 345	ACG Thr	GAT Asp	TCA Ser	AGA Arg	GGA Gly 350	TCC Ser	AAA Lys	ATG Met	ACG Thr	AGT Ser 355	1056
GAT Asp	GGA Gly	ATT Ile	AAC Asn	GAC Asp 360	AAA Lys	GAT Asp	GTT Val	TAT Tyr	ATG Met 365	CTA Leu	GGG Gly	CCC Pro	GGA Gly	GGC Gly 370	GAC Asp	1104
TCC Ser	TTA Leu	AAT Asn	GGC Gly 375	CCA Pro	CAC His	AAC Asn	CCG Pro	ATA Ile 380	AAT Asn	GAA Glu	ACT Thr	GGA Gly	CTT Leu 385	GTA Val	TTG Leu	1152
AAC Asn	ATG Met	AAT Asn 390	CTT Leu	GAC Asp	CCT Pro	GCT Ala	GAT Asp 395	CTC Leu	ACA Thr	CAC His	ACT Thr	TAC Tyr 400	TCT Ser	CAT His	TGC Cys	1200
GGT Gly 405	ATC Ile	CCG Pro	CAC His	CCT Pro	GAA Glu	GGT Gly 410	AAT Asn	AAT Asn	GTG Val	GTA Val	CTC Leu 415	ACA Thr	AGT Ser	TAT Tyr	ATG Met	1248
ACG Thr 420	AAT Asn	AGA Arg	GGC Gly	TTC Phe	TAT Tyr 425	CCA Pro	GAA Glu	CAT His	CAC His	TCT Ser 430	CAC His	CTG Leu	CGG Arg	GAC Asp	AAG Lys 435	1296
CTT Leu	GGG Gly	GTT Val	AAT Asn	ATT Ile 440	AAA Lys	GGG Gly	TCT Ser	GAC Asp	ACA Thr 445	TCT Ser	GGA Gly	GGA Gly	GAA Glu	AAT Asn 450	AGT Ser	1344

TCC GGA CAA GGA CAA TTC CCA
 Ser Gly Gln Gly Gln Phe Pro
 455

1365

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 2408 base pairs
 (B) TYPE: nucleic acid
 (C) STRANDEDNESS: double
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: genomic DNA
- (vi) ORIGINAL SOURCE:
 (A) ORGANISM: Bacillus sp.
 (B) INDIVIDUAL ISOLATE: V230 (FERM BP-5054)
- (ix) FEATURE:
 (A) NAME/KEY: 5'UTR
 (B) LOCATION: 1..360
 (C) IDENTIFICATION METHOD: E
- (A) NAME/KEY: signal peptide
 (B) LOCATION: 361..456
 (C) IDENTIFICATION METHOD: S
- (A) NAME/KEY: mat peptide
 (B) LOCATION: 457..1821
 (C) IDENTIFICATION METHOD: S
- (A) NAME/KEY: 3'UTR
 (B) LOCATION: 1822..2408
 (C) IDENTIFICATION METHOD: E

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

CGGGGAAAAT	ACTAGATTCC	AATTGGCCAG	ACTTCCCAGT	TGGTGTAAGA	GAAGAGTTCG	60
GACTGCCAAT	GCAGCTGTGC	GTAAGAAAAC	AGCTTACTCA	TGAGCAATTA	CTAGAAGAAT	120
TTCAAAGTC	CTGGGATAAG	GCCAAGTCCA	CTTTGAAATA	AACTTTTCAG	CCTCTGTGTG	180
GGGGCTTTTT	TGTTTTTATT	TATTTCAACT	GCAAGTGGTC	CATCCCCTAT	ATCAATTTAA	240
GACGAAATTC	TAATCAATCC	ATGCCATCCC	CAATAAACTC	GTCTCTCTCT	ATACTTTTAA	300
TTAATAAGAA	ACTATCAAGA	GCTTCTTTAT	CAAATTCATA	CATATCCAAG	GAGGGAGACG	360
ATG AAC TTC	AAA AGA TTG	GCG AAA AAA	GCA GCT GCC	GTA ACC TTC	AGG	408
Met Asn Phe	Lys Arg Leu	Ala Lys Lys	Ala Ala Ala	Val Thr Phe	Arg	
	-30		-25		-20	
ACT GCT ATA	TTA GTA GGA	GCG GAC GGA	CCG CAT ATT	TTT GCG CAG	CAA	456
Thr Ala Ile	Leu Val Gly	Ala Asp Gly	Pro His Ile	Phe Ala Gln	Gln	
	-15		-10		-5	
ATG AAC AGC	GGG GAC TAC	AAG GAA GAC	TAT GGT TTT	GCC CAT ATT	ACA	504
Met Asn Ser	Gly Asp Tyr	Lys Glu Asp	Tyr Gly Phe	Ala His Ile	Thr	
1	5	10	15			
CGC GCT GAC	ATG CTA AAA	ATT CCA GGA	CAA CAA AAC	AGT CCT CAA	TTT	552
Arg Ala Asp	Met Leu Lys	Ile Pro Gly	Gln Gln Asn	Ser Pro Gln	Phe	
	20		25		30	
AAA GTG CCT	CAA TTC AAT	GCA TCA GCA	ATC AAA AAC	ATT GAT TCG	GCA	600
Lys Val Pro	Gln Phe Asn	Ala Ser Ala	Ile Lys Asn	Ile Asp Ser	Ala	
	35		40		45	
AAA GGG TAT	GAT AAG TCA	GGC AAC TTA	ATA GAT TTA	GAT GTA TGG	GAT	648
Lys Gly Tyr	Asp Lys Ser	Gly Asn Leu	Ile Asp Leu	Asp Val Trp	Asp	
	50		55		60	

AGC Ser 65	TGG Trp	CCA Pro	CTG Leu	CAA Gln	AAC Asn 70	GCT Ala	GAT Asp	GGT Gly	ACT Thr	GCG Ala 75	GCA Ala	AAT Asn	TAT Tyr	CAT His	GGA Gly 80	696
TAT Tyr	CAC His	ATC Ile	GTC Val	TCC Ser 85	GCT Ala	TTA Leu	GCA Ala	GGT Gly	GAC Asp 90	CCA Pro	AAA Lys	AAC Asn	AGT Ser	GAT Asp 95	GAT Asp	744
ACT Thr	CCA Pro	CTT Leu	CAT His 100	TTA Leu	TTC Phe	TAT Tyr	CAA Gln	AAA Lys 105	GTC Val	GGT Gly	GAT Asp	ACA Thr	TCG Ser 110	ATT Ile	GAC Asp	792
AGC Ser	TGG Trp	AAA Lys 115	AAT Asn	GCT Ala	GGA Gly	AGA Arg	GTA Val 120	TTT Phe	GAA Glu	GAT Asp	ATG Met	GAT Asp 125	AAA Lys	TTT Phe	GTT Val	840
CCA Pro	AAT Asn 130	GAT Asp	CCG Pro	TAT Tyr	CTT Leu	AAA Lys 135	TAT Tyr	CAA Gln	ACA Thr	CAG Gln	GAG Glu 140	TGG Trp	TCA Ser	GGT Gly	TCT Ser	888
GCT Ala 145	ACT Thr	TTA Leu	ACC Thr	AAA Lys 150	GAT Asp	GGC Gly	CAA Gln	GTC Val	CGT Arg	TTA Leu 155	TTC Phe	TAT Tyr	ACA Thr	GAT Asp	TAC Tyr 160	936
TCA Ser	GGT Gly	AAT Asn	CCT Pro	GAA Glu 165	GAT Asp	GGT Gly	GGA Gly	ACC Thr	GGT Gly 170	GCT Ala	GGT Gly	AAC Asn	CAA Gln	ATC Ile 175	ATT Ile	984
TCA Ser	ACT Thr	GCT Ala	CAA Gln 180	GTA Val	AAC Asn	TTA Leu	TCC Ser	CAG Gln 185	CCG Pro	GAT Asp	GCA Ala	GCT Ala	ACA Thr 190	CTT Leu	AAA Lys	1032
GTC Val	GAT Asp	GGA Gly 195	GTA Val	TCT Ser	GAT Asp	CAT His	AAA Lys 200	TCT Ser	GTC Val	TTT Phe	GAT Asp	GGC Gly 205	GGA Gly	GAC Asp	GGT Gly	1080
ACA Thr	GTT Val 210	TAT Tyr	CAA Gln	AAT Asn	ATT Ile	CAG Gln 215	CAA Gln	TTT Phe	ATC Ile	GAT Asp	GAA Glu 220	GGC Gly	AAG Lys	TGG Trp	ATT Ile	1128
TCA Ser 225	GGT Gly	GAT Asp	AAC Asn	CAT His	ACT Thr 230	TTA Leu	AGA Arg	GAC Asp	CCT Pro	CAC His 235	TAT Tyr	GTT Val	GAA Glu	GAT Asp	AAG Lys 240	1176
GGC Gly	CAT His	AAA Lys	TAT Tyr	CTT Leu 245	GTC Val	TTT Phe	GAA Glu	GCG Ala	AAT Asn 250	ACT Thr	GGA Gly	ACA Thr	ACA Thr	GAT Asp 255	GGT Gly	1224
TAT Tyr	CAA Gln	GGC Gly	GAT Asp 260	CAG Gln	TCT Ser	TTT Phe	AAT Asn	AAT Asn 265	AAA Lys	GCT Ala	TAC Tyr	TAT Tyr	GGC Gly 270	GGA Gly	AGT Ser	1272
GAC Asp	GTC Val	TTC Phe 275	TTC Phe	CAG Gln	AAT Asn	GAA Glu 280	AAA Lys 280	AAT Asn	AAA Lys	CTG Leu	CTT Leu	CAA Gln 285	AGT Ser	CCT Pro	AAA Lys	1320
AAA Lys	CAA Gln 290	ATT Ile	GCT Ala	TCT Ser	TTA Leu	GCG Ala 295	AAT Asn	GGT Gly	GCA Ala	TTA Leu	GGC Gly 300	ATT Ile	GTT Val	GAA Glu	TTG Leu	1368
GCC Ala 305	GAT Asp	GAC Asp	TAT Tyr	ACA Thr 310	GTG Val	AAA Lys	AGT Ser	GTT Val	ATG Met	AAA Lys 315	CCA Pro	TTA Leu	GTC Val	GCA Ala	TCA Ser 320	1416
AAC Asn	ACA Thr	GTA Val	GCA Ala	GAT Asp 325	GAA Glu	GTC Val	GAA Glu	CGC Arg	GCC Ala 330	AAT Asn	ATA Ile	TTT Phe	AAA Lys 335	ATG Met 335	AAT Asn	1464

105011-28999560

AAT AAA TGG TAT CTA TTC ACG GAT TCA AGA GGA TCC AAA ATG ACG AGT	1512
Asn Lys Trp Tyr Leu Phe Thr Asp Ser Arg Gly Ser Lys Met Thr Ser	
340 345 350	
GAT GGA ATT AAC GAC AAA GAT GTT TAT ATG CTA GGG CCC GGA GGC GAC	1560
Asp Gly Ile Asn Asp Lys Asp Val Tyr Met Leu Gly Pro Gly Gly Asp	
355 360 365	
TCC TTA AAT GGC CCA CAC AAC CCG ATA AAT GAA ACT GGA CTT GTA TTG	1608
Ser Leu Asn Gly Pro His Asn Pro Ile Asn Glu Thr Gly Leu Val Leu	
370 375 380	
AAC ATG AAT CTT GAC CCT GCT GAT CTC ACA CAC ACT TAC TCT CAT TGC	1656
Asn Met Asn Leu Asp Pro Ala Asp Leu Thr His Thr Tyr Ser His Cys	
385 390 395 400	
GGT ATC CCG CAC CCT GAA GGT AAT AAT GTG GTA CTC ACA AGT TAT ATG	1704
Gly Ile Pro His Pro Glu Gly Asn Asn Val Val Leu Thr Ser Tyr Met	
405 410 415	
ACG AAT AGA GGC TTC TAT CCA GAA CAT CAC TCT CAC CTG CGG GAC AAG	1752
Thr Asn Arg Gly Phe Tyr Pro Glu His His Ser His Leu Arg Asp Lys	
420 425 430	
CTT GGG GTT AAT ATT AAA GGG TCT GAC ACA TCT GGA GGA GAA AAT AGT	1800
Leu Gly Val Asn Ile Lys Gly Ser Asp Thr Ser Gly Gly Glu Asn Ser	
435 440 445	
TCC GGA CAA GGA CAA TTC CCA TA GCGATTATCT CCCAATAAAA AGAAATGTCA	1853
Ser Gly Gln Gly Gln Phe Pro	
450 455	
CTGGCAAGAT CCTACCTTTT CCCCAACCTT TTTTTTTAAA ATAAAGGGTT TTGTACCACC	1913
TTTAGAAGAA AAAAGAATCC TTGGCCCGGG CCAATTACCC ATTGCCGAAG GAGCTACCCA	1973
ATAAAAAAGA AATTTTCCCT TTTTAGGGGG GGAGTCCTTT TTTTCTATCT TGGGGTGGGG	2033
ATTGTTGGCC CCCACCAGGG GACCTTTATT AATTTATAGC ATGAATCTGG CGATTTTGCC	2093
TGGCCTACTT ATTATCCAAG CCGCCCAGCC AAAAATATTA AACCAAGGAA TCCTAAGAGT	2153
AGGCGGTACA GTTTACCAAC ACCTGCTGGA GGGGATGGAT ATCGCCCTCA ATACCACTTT	2213
TCTGTTCCCG ACAAATGGAA AAATGATCCG CAGAGGCCCA TCTTTTTTGG GGGAAGTATC	2273
ATTACTATTA CCTTTACAAC AAAGACTATC CAGATGGAAA TGGTACGGAA TGGCGGCATG	2333
CAACGTCCGA AGATTTATTG CATTGGACGG ACGAAGGGAT TGCCATCCCG AAGTATACCA	2393
ATAAAAATGG TGATC	2408

(2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 26 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

GAYTAYAARG ARGAYTAYGG NTTYGC